

# Safe Use Instruction Sheet (SUIS) for AIREX® T90/T92/TM90/TM92

In line with Regulation (EC) No. 1907/2006 & GHS

Page 1 of 3

revised: March 1<sup>st</sup>, 2023  
GM--SUIS-002

## 0. General information

According to the United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS), GHS applies to pure substances and their dilute solutions and to mixtures. "Articles" as defined in the Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America, or by similar definition, are outside the scope of the system.

Also the European Regulation (ER) on Chemicals No. 1907/2006 (REACH) enforced on June 1<sup>st</sup>, 2007 does only require Material Safety Data Sheet (MSDS) for hazardous substances or preparations – not for articles.

All AIREX® products meet the definition of "Article" under the United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS), the European Union (EU) Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Standard, United States (US) Occupational Health and Safety Administration (OSHA) Hazard Communication Standard, Canadian Workplace Hazardous Materials Information System (WHMIS) Regulation and Australian Work Health and Safety (WHS) Regulation.

Therefore, under normal usage of the AIREX® products, no Material Safety Data Sheet (MSDS) is legally required.

To support our customers with additional data on safe handling and use instructions for our manufactured articles this *Safe Use Instruction Sheet* was created.

## 1. Identification of substance / preparation and of the company

AIREX® T90/T92/TM90/TM92 Rigid foam

(T90.60, T90.100, T90.150, T90.210)

(TM90.60, TM90.100)

(T92.60, T92.80, T92.100, T92.110, T92.130, T92.150, T92.200, T92.230, T92.320)

(TM92.60, TM92.80, TM92.100)

*Use of substance / preparation :* Core material in sandwich constructions

*Company identification:* Airex AG  
5643 Sins, Switzerland  
Tel +41 41 789 66 00

## 2. Hazards identification

AIREX® T90/T92/TM90/TM92 do not constitute any risk to public health and environment if it is used as intended.

Fine dust is produced while sawing, milling, grinding and sanding.

Molten product adheres to the skin and causes burns.

May contain residuals from physical blowing agent (hydrocarbons).

## 3. Composition / Information on ingredients

Rigid polymeric foam on the basis of Polyethylenterephthalate.

## 4. First aid measures

*Inhalation of gases in case of fire:* Move victim to fresh air and obtain medical attention.

*Skin contact:* Molten product on the skin should be cooled rapidly with cold water, but not pulled off. Obtain medical attention.

*Eye contact:* Flush with water if irritation develops.

*Ingestion:* No special measures required. Seek medical attention if symptoms develop.

## 5. Fire-fighting measures

*Specific hazards:* Not classified as flammable but will burn. Toxic gases contain carbon monoxide (CO) and others.

*Suitable extinguishing media:* Foam, water spray, extinguishing powder, carbon dioxide.

*Extinguishing media which must not be used:* Direct water jet.

Use respiratory protection independent of recirculated air.

[www.3ACcorematerials.com](http://www.3ACcorematerials.com)

Europe | Middle East | India | Africa

Airex AG  
5643 Sins, Switzerland  
T +41 41 789 66 00  
[corematerials@3ACComposites.com](mailto:corematerials@3ACComposites.com)

North America | South America

Baltek Inc.  
High Point, NC 27261, USA  
T +1 336 398 1900  
[corematerials.americas@3ACComposites.com](mailto:corematerials.americas@3ACComposites.com)

Asia | Australia | New Zealand

3A Composites (China) Ltd.  
201201 Shanghai, China  
T +86 21 585 86 006  
[corematerials.asia@3ACComposites.com](mailto:corematerials.asia@3ACComposites.com)

# Safe Use Instruction Sheet (SUIS) for AIREX® T90/T92/TM90/TM92

In line with Regulation (EC) No. 1907/2006 & GHS

Page 2 of 3

revised: March 1<sup>st</sup>, 2023  
GM--SUIS-002

<b>6.</b>	<b>Accidental release measures</b>	
		No special measures required.
<b>7.</b>	<b>Handling and storage</b>	
	<i>Handling:</i>	No special measures required. Avoid generation or accumulation of dusts. Take precautionary measures against static discharges. Earth all equipment.
	<i>Storage:</i>	Stow away from immediate and dangerous sources of ignition. Danger of electrostatic charges when stored in very dry areas.
<b>8.</b>	<b>Exposure control / personal protection</b>	
	<i>Exposure limit values:</i>	Not applicable.
	<i>Exposure controls:</i>	The use of gloves, protective goggles and dust masks and also the use of dust extraction equipment is recommended for sawing, milling, grinding and sanding. For thermo-forming, the workplace should be continuously supplied with fresh air. Where necessary, a respiratory protection is recommended.
<b>9.</b>	<b>Physical and chemical properties</b>	
	<i>Physical state / form:</i>	Polymer foam sheet with visible cell structure.
	<i>Colour:</i>	White / green
	<i>Melting temperature:</i>	250 °C
	<i>Decomposition temperature</i>	> 340 °C
	<i>Flash ignition temperature</i>	370 °C                      DIN 51794
	<i>Density:</i>	60 - 320 kg/m <sup>3</sup> ISO 845
	<i>Solubility: Insoluble in:</i>	Water, sea water, acids, alkalis, aliphatic hydrocarbons
	<i>Soluble in:</i>	Aromatic hydrocarbons, ketones, chlorinated hydrocarbons
<b>10.</b>	<b>Stability and reactivity</b>	
	<i>General information:</i>	Stable under normal conditions
	<i>Conditions to avoid:</i>	Not applicable
	<i>Materials to avoid:</i>	Oxidising agents
	<i>Dangerous decomposition products:</i>	Carbon monoxide (CO), acetaldehyde, acidic gases
<b>11.</b>	<b>Toxicological information</b>	
	<i>Toxicological tests:</i>	Based on MSDS of base material producer
	<i>Experience with man:</i>	
	<i>Skin contact:</i>	Does not contain any materials which are known to stimulate allergic reactions. Grinding dust may cause irritation to people with sensitive skin.
	<i>Eye contact:</i>	Dust may cause irritation.
	<i>Inhalation:</i>	Dust may cause irritation of respiration tract.
	<i>Ingestion:</i>	Low toxicity, LD50 > 2000 mg/kg
<b>12.</b>	<b>Ecological information</b>	
	<i>Ecotoxicity:</i>	Not determined
	<i>Mobility:</i>	Not soluble in water, therefore effects on groundwater are unlikely
	<i>Persistence and degradability:</i>	Biologically not degradable
<b>13.</b>	<b>Disposal considerations</b>	
		Subject to legislation by local authorities, the product can be disposed of together with domestic refuse and industrial waste. Waste and residues can be incinerated in a plant equipped with flue gas washing, together with domestic waste.

## Safe Use Instruction Sheet (SUIS) for AIREX® T90/T92/TM90/TM92

In line with Regulation (EC) No. 1907/2006 & GHS

Page 3 of 3

revised: March 1<sup>st</sup>, 2023  
GM--SUIS-002

### 14. Transport information

Railroad	RID	No restriction.
Road	ADR	No restriction.
Sea	IMDG Code	No restriction.
Air	ICAO-TI/IATA-DGR	No restriction.
UN-Classification		Not required.

### 15. Regulatory information

AIREX® T90/T92/TM90/TM92 rigid plastic foam does not require marking under the following directives or is not concerned by the following regulations:

- Europe: Directive 67/548/EWG, ("DSD"), Directive 1999/45/EC, ("DPD"), Regulation (EC) No 1272/2008 ("CLP").
- US: OSHA .29 CFR 1910.1200 and .49 CFR 171.8 (EPA 40 CFR 117) spill, leak and disposal regulations of the US Department of Transportation.
- Canada: WHMIS and TDG.

### 16. Other information

This Safe Use Instruction Sheet (SUIS) replaces the issue released on August 8<sup>th</sup>, 2022.

The information given in this document is accurate to the best of our knowledge, but without any guarantee. It is given in good faith based on the current state of knowledge and experience. It is issued in respect of safety requirements and does not purpose to provide information on the quality of the material.